

Quality Assurance Program Plan

Office of Environmental Management Headquarters



Department of Energy

May 2008

Table of Contents

Acronyms.....iii

1. INTRODUCTION..... 1

 1.1 Mission..... 1

 1.2 Policies and Management Principles..... 1

 1.3 Linkage between Integrated Safety Management and Quality Assurance at EM-HQ 1

2. EM-HQ QUALITY ASSURANCE (QA) IMPLEMENTATION OVERVIEW 3

3. EM-HQ ORGANIZATION..... 5

 3.1 DOE-EM Interfaces..... 5

 3.2 DOE-EM Interfaces..... 6

 3.3 National, Tribal and International Interfaces..... 7

4. LINE MANAGEMENT OF EM QA 8

 4.1 QA Flowdown 8

 4.2 EM QA Manager 9

 4.3 Field Interactions..... 9

 4.4 Deficiency Resolution 12

 4.5 NQA-1 and 10 CFR 830 Implementation at Headquarters 13

 4.6 Nuclear Safety-Related Activities at EM-HQ (10 CFR 830 related) 13

 4.7 NQA-1 Implementation at Headquarters 14

 4.8 Project QA Plans, Procedures or Instructions 14

5. SOFTWARE QUALITY ASSURANCE AT EM-HQ..... 17

 5.1 EM-HQ Software Subject to NQA-1 or 10 CFR 830..... 17

 5.2 Implementation of Software Quality Assurance at EM-HQ 17

6. MANAGEMENT AND ADMINISTRATIVE QUALITY ASSURANCE 18

 6.1 Criterion 1: Program..... 18

 6.2 Criterion 2: Personnel Training and Qualification 18

 6.3 Criterion 3: Quality Improvement..... 23

 6.4 Criterion 4: Documents and Records 24

 6.5 Criterion 5: Work Processes..... 25

 6.6 Criterion 6: Design 27

 6.7 Criterion 7: Procurement 27

 6.8 Criterion 8: Inspection and Acceptance Testing 27

 6.9 Criterion 9: Management Assessments 28

 6.10 Criterion 10: Independent Assessments 29

APPENDIX A – EM MANAGEMENT TOOLS 30

Appendix B – Graded Approach..... 34

 B.1 Graded Approach Requirement 34

 B.2 Factors in Applying the Graded Approach 34

 B.3 Applying the Graded Approach at EM-HQ 34

Tables

Table 1 – Criteria for Project QA Plan.....14
Table 2 – Quality Assurance at EM-HQ for other than NQA-1 or 10 CFR 830 Related Activities18
Table 3 – EM-HQ Management Tools.....28

Figures

Figure 1 – EM Headquarters Organizational Chart.....6
Figure 2 – QA Functional Relationships.....7
Figure 3 – Procedure Improvement Process from Lessons Learned22

DOE EM-HQ Quality Assurance Program Plan

ACRONYMS

ARAR	Applicable or Relevant and Appropriate Requirements
BNL	Brookhaven National Laboratory (Brookhaven Completion Project Office)
CAIRS	Computerized Accident/Incident Reporting System
CAM	Corrective Action Management
CAMP	Corrective Action Management Plan
CAP	Corrective Action Plan
CATS	Corrective Action Tracking System
CCB	Configuration Control Board
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CF	Department of Energy Chief Financial Officer
CFR	Code of Federal Regulations
CMAC	Contract Management Advisory Council
COO	Chief Operating Officer
CSO	Cognizant Secretarial Office(r)
CTA	Central Technical Authority
CRAD	Criteria Review and Approach Document
D&D	Decontamination and Decommissioning (also Deactivation and Decommissioning)
DAS	Deputy Assistant Secretary
DNFSB	Defense Nuclear Facilities Safety Board
DOE	United States Department of Energy
DOT	United States Department of Transportation
DSA	Documented Safety Analysis
ECP	Employee Concerns Program
EIS	Environmental Impact Statement
EM	Department of Energy Office of Environmental Management
EM-1	Office of the Assistant Secretary for Environmental Management
EM-2	Principal Deputy Assistant Secretary
EM-3	Chief Operations Officer
EM-3.01	Office of Project Recovery
EM-3.1	Office of Safeguards and Security/Emergency Management
EM-3.2	Office of Site Support
EM-3.3	Office of Small Sites Projects
EM-5	Office of Communications and External Affairs
EM-6	Office of Management Analysis
EM-10	Deputy Assistant Secretary for Regulatory Compliance
EM-11	Office of Compliance
EM-12	Office of Disposal Operation
EM-13	Office of Public and Intergovernmental Accountability
EM-14	Office of Nuclear Materials Disposition
EM-20	Deputy Assistant Secretary for Engineering and Technology
EM-21	Office of Waste Processing
EM-22	Office of Groundwater & Soil Remediation
EM-23	Office of D&D and Facility Engineering
EM-30	Deputy Assistant Secretary for Program Planning and Budget
EM-31	Office of Budget
EM-32	Office of Strategic Planning and Analysis
EM-40	Deputy Assistant Secretary for Human Capital and Business Services
EM-41	Office of Human Capital
EM-42	Office of Corporate Information and Services
EM-50	Deputy Assistant Secretary for Acquisition and Project Management
EM-51	Office of Procurement Planning
EM-52	Office of Contract and Project Execution
EM-53	Office of Project Management Oversight
EM-60	Deputy Assistant Secretary for Safety Management/Operations

DOE EM-HQ Quality Assurance Program Plan

EM-61	Office of Safety Management
EM-62	Office of Operations Oversight
EM-63	Office of Packaging and Transportation
EM-64	Office of Standards and Quality Assurance
EMAAB	Environmental Management Acquisition Advisory Board
EPA	Environmental Protection Agency
ESE	Energy, Science and Environment
ES&H	Environmental, Safety, and Health (prior name Health Safety and Security)
ESTARS	Electronic Suspense Tracking and Routing System
FAQS	Functional Area Qualification Standard
FEM	Field Element Manager
FRA	Functions, Responsibilities, and Authorities
FRAM	Functions, Responsibilities, and Authorities Manual
G	Guidance
GAO	Government Accountability Office
HQ	Headquarters
HC	Office of Human Capital Management
HS-30	Office of Corporate Safety Analysis
HS-31	Office of Corporate Safety Programs
HS-32	Office of Analysis
HS-60	Office of Independent Oversight
HSS	Office of Health, Safety and Security
IAEA	International Atomic Energy Agency
ICAO	International Civil Aviation Organization
ID	DOE Idaho Operations Office
IDIQ	Indefinite delivery/indefinite quantity
IDP	Individual Development Plan
IG	Office of Inspector General
IM	Department of Energy Chief Information Officer
IMO	International Maritime Organization
IPABS	Integrated Planning, Accountability and Budgeting System
ISMS	Integrated Safety Management System
LFRG	Low Level Waste Disposal Facility Federal Review Group
LLW	Low Level Waste
LSO	DOE Livermore Site Office
MA	Department of Energy Office of Management
NEPA	National Environmental Policy Act
NNSA	National Nuclear Security Administration
NQA	Nuclear Quality Assurance
NRC	Nuclear Regulatory Commission
NSO	DOE Nevada Site Office
NTS	Non-Compliance Tracking System
O	Order
OCRWM	Office of Civilian Radioactive Waste Management
ODs	Office Directors
OECM	Office of Engineering and Construction Management
OH	DOE Ohio Field Office
OPI	Office of Primary Interest
OR	DOE Oak Ridge Office
ORP	DOE Office of River Protection
ORPS	Occurrence Reporting and Processing System
OSHA	Occupational Safety and Health Administration
P	Policy
PARS	Project Analysis and Reporting System
PD	Position Description
POC	Point of Contact

DOE EM-HQ Quality Assurance Program Plan

PPPO	DOE Portsmouth and Paducah Project Office
PSO	Program Secretarial Office(r)
QA	Quality Assurance
QAP	Quality Assurance Program
QAPP	Quality Assurance Program Plan
RCRA	Resource Conservation and Recovery Act
RF	DOE Rocky Flats Field Office
RL	DOE Richland Operations Office
SAR	Safety Analysis Report
SARP	Safety Analysis Report for Packaging
SBS	Safety Basis Information System
SELLS	Society for Effective Lessons Learned Sharing
SIMS	Safety Information Management System
SME	Subject Matter Expert
SNRs	Startup Notification Reports
SO	Secretarial Office(r)
SOPP	Standing Operating Policies and Procedures
SR	DOE Savannah River Operations Office
STD	Standard
STSM/A	Senior Technical Safety Manager/Advisor
TQP	Technical Qualification Program
TSR	Technical Safety Requirement
USQ	Unreviewed Safety Question

1. INTRODUCTION

1.1 Mission

The mission¹ of the Department of Energy's (DOE's) Office of Environmental Management (EM) is the accelerated risk reduction and cleanup of the environmental legacy of the Nation's nuclear weapons program and government-sponsored nuclear energy research. The program is one of the largest and most diverse and technically complex environmental cleanup programs in the world and includes responsibility for the cleanup of over 100 sites across the country. Included in that responsibility is the need to:

- Safely disposition large volumes of nuclear wastes;
- Safeguard materials that could be used in nuclear weapons; and,
- Deactivate and decommission several thousand contaminated facilities no longer needed to support the Department's mission and remediate extensive surface and groundwater contamination.

1.2 Policies and Management Principles

Quality Assurance (QA) and Integrated Safety Management (ISM) are expected to be exhibited in all Environmental Management Headquarters (EM-HQ) activities. In conducting its mission, it is the policy of EM to ensure the safety and protection of workers, the public, and the environment while performing environmental management activities. EM strives to effectively plan, budget, execute, and evaluate its activities such that the right job is done correctly and safely the first time. It is also EM policy that quality requirements for products and services be clearly defined before work begins. Work processes are continuously monitored, assessed, and improved to achieve a rising standard of excellence in the quality and safety of EM programs, projects, products, and services. QA implementation is a line management responsibility, and as such, when any EM work is being performed, the principles of QA must be applied. In other words, whoever "owns" the work is responsible for the implementation of QA for that work.

1.3 Linkage between Integrated Safety Management and Quality Assurance at EM-HQ

The Environmental Management Functions, Responsibilities, and Authorities (EM FRA) document contains the functions, responsibilities, and authorities necessary for achieving the ISM of EM activities. It is a central component of the EM response to DOE's commitment to promulgate requirements and associated instructions that provide direction and guidance for the safety management process, including responsibility for execution.

The EM FRA defines the safety management functions and responsibilities based on the requirements in DOE directives and Federal Regulations that are applicable to EM. The EM FRA captures all current environmental, safety, and health (ES&H) responsibilities assigned² to the DOE program or line offices by the corporate-level DOE FRAM (DOE Manual 411.1-1C, *Safety Management Functions, Responsibilities, and Authorities Manual*) and other applicable management and safety management directives. The EM FRA organizes responsibilities by means of the ISM System core functions³.

¹ Ref: <http://www.em.doe.gov/pages/mission.aspx>

² "Assign" is used in the EM FRA to specify that the responsibility is Secretarial direction to a Secretarial Officer (SO) or Field Element Manager (FEM) via a DOE Directive. This is in contrast to a delegation of authority issued by a Cognizant Secretarial Officer (CSO) to an individual, through which a CSO directs the individual to carry out a particular function that is assigned to the CSO by the Secretary. For a delegation of authority the CSO remains responsible and accountable to the Secretary for the assignment.

³ Adapted to the FRA as: 1) Provide Direction, 2) Define Scope of Work, 3) Analyze Hazards, 4) Develop and Implement Controls, 5) Perform Work, 6) Collect Feedback and Pursue Improvement.

DOE EM-HQ Quality Assurance Program Plan

Each responsibility statement in the EM FRA identifies the EM-HQ organization with the implementing lead role or indicates that the authority is delegated to the Field Element Managers⁴ (FEMs) or to other individuals. The responsibility statements in the EM FRA include QA criteria per DOE O 414.1C, *Quality Assurance*, thereby providing a link between ISM and EM-HQ QA, as well as to this document.

⁴ Field Element Manager indicates the Operations Office Manager, the Field Office Manager, or the Project Office Manager who takes direction from the Assistant Secretary for Environmental Management. Delegations have expiration dates.

2. EM-HQ QUALITY ASSURANCE (QA) IMPLEMENTATION OVERVIEW

This plan describes activities conducted by EM-HQ that relate to safety, risk, cost, and schedule in meeting DOE and EM objectives. EM-HQ management assures that:

- Senior management provides planning, organization, direction, control, and support to achieve DOE and EM objectives.
- ES&H risks and impacts are reduced while maximizing reliability and performance of EM work.
- The EM management system is consistent with principles and functions of DOE P 450.4, *Safety Management System Policy*, DOE P 226.1, *Department of Energy Oversight Policy*, and DOE O 226.1A, *Implementation of DOE Oversight Policy*.
- EM improves its overall performance with both internal and external reviews, evaluations, and assessments (e.g., Office of Engineering and Construction Management (OECM); Office of Inspector General (IG); Government Accountability Office (GAO); Office of Health, Safety and Security (HSS); and the Defense Nuclear Facilities Safety Board (DNFSB) of its Field Offices and its contractors.

The key driver for QA is DOE O 414.1C, *Quality Assurance*. The quality assurance for EM-HQ's functions applies to the following four categories of activities, which are:

1. Line Management and safety oversight of the Field (along with a limited set of nuclear safety-related activities) is EM's most central function in ensuring that QA programs and performance expectations are being appropriately described and administered within the EM program. EM employs a formal organizational structure coupled with leveraged relationship with the DOE Office of Health, Safety and Security (HSS) to ensure effective QA implementation within the EM program (see Section 4 of this document).
2. EM-HQ performs a very limited set of activities closely tied to nuclear safety-related functions, for which the requirements of NQA-1 or 10 CFR 830 apply. These activities are all as a reviewer and approver. Originating organizations responsible for execution of NQA-1 projects are mostly in the Field or contractors (see Section 5 of this document). The Office of the Assistant Secretary for Environmental Management (EM-1) is the primary interface with the Energy Central Technical Authority (CTA) on matters of nuclear safety. EM-60 is the primary interface with the Chief of Nuclear Safety (CNS) for Energy. Delegation of Authority for the nuclear safety requirements from EM-1 to the EM-HQ Managers and Field Managers is accomplished by using EM SOPP PS 5.15 - Environmental Management Process for Delegation of Safety Authorities (February 2006).
3. EM-HQ organizations have responsibility to provide oversight activities in accordance with DOE O 460.1B.
4. EM-HQ may at times be involved in the use of safety software subject to DOE O 414.1C. These activities and associated requirements are delineated in Section 6.
5. A significant set of EM-HQ activities is programmatic and administrative in nature. These include program management, budget formulation, strategic planning, policy development, issuance of guidance, and others. This is in contrast to the Field execution of the EM mission which includes activities that have direct or immediate implications to safety; and activities such as facility operation, construction projects execution, excess facility deactivation and demolition, and waste sites remediation (see Section 7 of this document).

Implementation in accordance with these four categories is addressed in Sections 4, 5, 6, and 7, respectively. Because of the wide variation of EM-HQ activities, application of DOE O 414.1C is applied

DOE EM-HQ Quality Assurance Program Plan

in a tailored manner (graded approach) appropriate to the direct effect of the activities' relationship to nuclear and conventional safety.

3. EM-HQ ORGANIZATION

EM-1 is ultimately responsible for leadership and the commitment to quality achievement and improvement for the EM mission. Figure 1 illustrates the organizational structure for EM-HQ. Details of the functions, authorities, and responsibilities of the various elements in the DOE EM organization are described in EM FRA dated March, 2007.




Figure 1. EM-HQ Organizational Chart

3.1 DOE-EM Interfaces

The EM FRA shows the direct lines of responsibility and authority from the Secretary of Energy to the Field Offices where the Field contractor oversight responsibilities reside. The approval of the EM FRA is the responsibility of the EM-1 while maintenance of the EM FRA is assigned to the Deputy Assistant Secretary for Safety Management/Operations (EM-60). EM-60, through the Office of Safety Management (EM-61), is responsible for ensuring that applicable safety requirements including the requirements of DOE O 414.1C, and any subsequent updates to that Order, are captured in the EM FRA.

The EM FRA identifies the organizational elements that have the responsibility and authority for managing, performing, and assessing work to meet the EM mission and its objectives. In addition to

delineating the responsibilities of EM-HQ organizations, the EM FRA documents delegations of authorities by EM-1, EM HQ managers, and to the FEMs. The EM FRA also identifies internal and external interfaces, including other offices of DOE, as well as the Department of Transportation (DOT), Environmental Protection Agency (EPA), International Atomic Energy Agency (IAEA), International Maritime Organization (IMO), International Civil Aviation Organization (ICAO), and other agencies.

3.2 DOE-EM Interfaces

DOE-EM primary interfaces include:

- EM line management (i.e., EM-3) interfaces with the Office of Health, Safety and Security (HSS) for effective implementation of ES&H policy.
- DNFSB – The Chief Operating Officer (COO), EM-3, with the assistance of EM-61, and coordination through the Departmental Representative to the DNFSB (HS-1.1), is the primary interface for EM with the DNFSB, including providing information to the DNFSB, when needed, and providing input for response to DNFSB recommendations. EM-1, EM-3 and EM-60 present periodic briefings to the DNFSB on matters relating to nuclear safety and quality assurance at EM facilities. The interface with the DNFSB is conducted in accordance with DOE M 140.1-1B, *Interface with The Defense Nuclear Facilities Safety Board (03-30-01)*.
- EM-1 is the primary interface with Energy CTA on matters of nuclear safety. EM-60 is the primary interface with Energy CTA staff including the Chief of Nuclear Safety.
- EM-60 has the primary interface with HS-30 for assistance with assessments; lessons learned/operating experience, QA-related support in overseeing EM sites and other QA related programs.
- Other DOE Program Offices primary interfaces include:
 - Office of Civilian Radioactive Waste Management (RW) – Office of Disposal Operations (EM-12) and EM-60
 - National Nuclear Security Administration (NNSA) – EM-60, EM-10,
 - IG – Office of Business Operations (EM-43)
 - Office of Management (MA), Office of Human Capital Management (HR), Chief Financial Officer (CFO), and Chief Information Officer (CIO) – EM-30

3.3 National, Tribal and International Interfaces

Other examples of government interfaces that are carried out primarily by EM organizations are as follows:

- EM-10 – Packaging/transportation/disposal entities
- EM-11, 12, 63 – DOT, EPA, Nuclear Regulatory Commission (NRC), IAEA, DOT, IMO
- EM-13 Public & Intergovernmental Accountability, International Civil Aviation Organization (ICAO)
- EM-10, -20, -30 – States, Tribes, Advisory Boards, Non-Government Organizations
- EM-30 –GAO

Note: Some EM organizations that are not the primary interface may interact with external or other DOE organizations on an as needed basis. Their communications should be shared with the primary interface organization. In addition, EM organizations may interface with external organizations in their respective areas of responsibility, (e.g., EM-63; Packaging, Transportation, and Disposal; and EM-60, Safety and QA).


The EM FRA provides additional information on these interfaces.

4. LINE MANAGEMENT OF EM QA

4.1 QA Flowdown

EM has responsibility for the execution of its Quality Assurance Program Plan (QAPP) as well as line responsibility for the execution of QA in its subordinate Federal and contractor organizations within the DOE EM Program. EM ensures that QA is appropriately implemented through the use of effective policy, oversight, technical support and assessments. It maintains a network of working relationships that ensure effective communication of QA expectations to the Field and its contractors as well as timely feedback of QA performance data from the Field. EM relies on Office of Health, Safety and Security (HSS) Office of Nuclear Safety and Environment (HS-20) and Office of Corporate Safety Analysis (HS-30) to assist in the interpretation and promulgation of policy and guidance as well as for technical support in its QA assessment program. The Office of Independent Oversight (HS-60) provides for any independent assessments of EM QA programs at both the Field and Headquarters (HQ).

The HSS Office of Independent Oversight (HS-60) provides an independent assessment of the effectiveness of policies and programs in safeguards and security; cyber security; emergency management oversight; environment, safety and health (ES&H); and other critical functions of immediate interest to the Secretary, the Deputy Secretary, the Manager of the National Nuclear Security Administration (NNSA), the Under Secretary for Energy, and the Under Secretary for Science. The office is independent of the DOE offices that develop and implement policy and programs and can therefore objectively observe Departmental operations, providing unbiased information to senior DOE managers using a systematic oversight process that emphasizes performance and performance testing (see Figure 2).



4.2 EM QA Manager

The primary interface between EM Senior Management, the HSS Office of Corporate Safety Programs (HS-31), the Office of Nuclear Safety and Environment (HS-20), and the Field, is the EM-HQ QA Manager. The QA Manager, serves as the Director of the Office of Standards & Quality Assurance (EM-64), and is responsible to the EM-60 Deputy Assistant Secretary (DAS) for the following:

- Preparing and administering the EM-HQ QAPP;
- Interacting regularly with the Field QA counterparts, Site Liaisons, Office of Site Support (EM-3.2) the Office of Project Management Oversight (EM-53), and the HSS Office of Corporate Safety Programs (HS-31) on QA issues;
- Coordinating and participating in the review of EM Field Office QA Program (QAP) documents;
- Managing EM directed assessments, audits, or review of QA implementation in the Field;
- Annually assessing the implementation of the EM-HQ QAPP;
- Reviewing and approving EM-HQ NQA-1 or 10 CFR 830 project QA plans, procedures or instructions;
- Developing and administering the EM employee QA training program (both general and specialized); and
- Reviewing contractor QAPs where this authority is not delegated to the Field.

4.3 Field Interactions

The EM FEMs report to EM-3. The EM-60 DAS has the primary responsibility to ensure that the Field Offices and the contractors develop and implement their respective QAP documents to meet the requirements of DOE O 414.1C and all other applicable DOE Orders and Policies. Through the EM QA Manager, the EM-60 DAS has the responsibility to review the Field Office QAP documents. EM-60 is the approval authority for approval of Field Office QAP documents. In addition, EM-60, via the QA manager, also reviews, for EM-3 approval, the contractor QAP approvals not delegated to the Field.

EM-HQ's QA interactions with its Field Offices cover a broad range of activities. Some of these are very frequent and are a part of EM-60 oversight responsibility. Other types of interactions are less frequent and/or are case-by-case. These interactions are described below in the context of frequency and relation to the QA Order criteria.

Very Frequent Interactions

The following types of interaction occur daily or very often:

- **Criterion 3: Quality Improvement**—The EM QA Manager works with HSS to evaluate daily occurrence notification and closed reports for QA implications. They address issues on an as needed basis. Weekly input is provided to EM by HSS for the “EM Weekly Managers’ Call.” HS-30 will perform QA and safety trending and provide a report to EM-3 on a quarterly basis. The EM-60 safety data analysis team also provides trending information to EM-1 and EM-3 on a monthly basis.
- **Criterion 3: Quality Improvement**—EM-3.2 has individuals assigned as Site Liaisons. They interact daily with their assigned sites regarding ongoing activities, operations oversight, safety occurrences, Field needs from HQ, and HQ needs from the Field. They also visit sites for assessments and reviews. The EM Lessons Learned Coordinator (EM-53) collects Field operating and safety experience as well as lessons learned from across the DOE, and shares it with the Field and with HQ through a variety of communication mechanisms including the EM Portal (see Section 6.3).

DOE EM-HQ Quality Assurance Program Plan

- Criterion 7: Procurement—EM-50/20 are closely involved with Field Offices for procurement of major capital projects. This is also the case for large deactivation and decommissioning (D&D) projects, site closure contracts, and Field site management contracts. Involvement can include approval of funding and participation on procurement Integrated Project Teams. EM-HQ can also utilize Field Offices as contracting mechanism for HQ-initiated projects and/or contracts for development, qualified services, transportation, waste disposal, and others.
- Criterion 10: Independent Assessment—EM-64, with Office of Civilian Radioactive Waste Management (OCRWM) conducts joint audits of the EM site contractor QAP implementation to verify compliance with waste acceptance QA requirements imposed on Spent Nuclear Fuel and High Level Waste Projects. These joint assessments are conducted in accordance with OCRWM procedures.

The EM and RW Memorandum of Agreement for Acceptance of Spent Nuclear Fuel (SNF) and High-Level Radioactive Waste (HLW), ratified on 2/14/2007, contains specific QA requirements for disposal of SNF and HLW into a federal geologic repository. EM federal waste custodians, the National Spent Nuclear Fuel Program, and principal contractors are required to abide by the requirements of the RW Quality Assurance Requirements and Description (QARD) document for work performed to support the acceptance of SNF and HLW into the federal repository. All waste acceptance work must be executed under an approved QARD-compliant program.

Oversight Interactions

EM-60 has specific responsibilities to conduct QA assessments of Field Offices to ensure that QA requirements are being satisfactorily implemented. In addition, QA may be included as a subset of other assessments conducted by EM-60 at the sites. These assessments are performed in accordance with DOE O 226.1A, *Implementation of Department of Energy Oversight Policy*.

Related to this QAPP, oversight activities include:

- Criterion 1: Program—The EM Field Offices will each have their own Quality Assurance Program (QAP) documents consistent with the requirements of the governing DOE Orders and policies. All Field Office QAP documents are reviewed and approved by EM-HQ. The review and approval of Field Office QAP documents is the responsibility of the EM-60 DAS Safety Management and Operations. In most cases the review and approval of contractor QAP documents are currently delegated to the Field Office Elements under the purview of EM-60. This delegation is promulgated by memorandum from EM-60 to each FEM.
- Criterion 2: Training—EM-60 has the responsibility to verify that the training and qualification requirements for DOE Field personnel are in place and implemented. This is achieved via the EM-60 assessment activities.
- Criterion 3: Quality Improvement—EM-60 as the responsibility, as part of its Field Office oversight function, to ensure that EM Field Offices develop and implement effective quality improvement processes in their QA programs. In this effort, EM-60 participates in line assessments and reviews of Field Office and contractor activities. This allows EM-HQ to implement effective cross-site lessons learned opportunities in identifying, analyzing, correcting, and preventing the recurrence of quality-related problems. Corrective Action Plans from the field are required to address issues determined within the assessments. In line with this, EM-3 conducts weekly Field Managers' calls which can be used as a form to discuss quality and safety-related

DOE EM-HQ Quality Assurance Program Plan

problems so that they can be addressed and provided to the Field as lessons learned. Participants from all EM-HQ organizations are also invited to participate in the call.

- Criterion 9: Management Assessments—Each EM Field Office conducts management self-assessments. EM-60 may be requested to participate in the Field Office management assessments as part of the Field oversight function. EM management may also request the participation, assistance, or support of Field Office personnel in the conduct of EM-HQ management assessments.
- Criterion 10: Independent Assessments—EM-HQ may schedule independent assessments of the Field Office Elements and conduct these assessments using EM-HQ personnel with support from Office of Independent Oversight (HS-60), Office of Corporate Safety Programs (HS-31), or the Office of Nuclear Safety and Environmental Assistance (HS-22). These assessments will be based on an integrated assessments plan that addresses the requirements of DOE G 414.1-1B (*Management and Independent Assessments Guide for Use with 10 CFR Part 830, Subpart A, and DOE O 414.1C, Quality Assurance; DOE M 450.4-1, Integrated Safety Management System Manual; and DOE O 226.1A, Implementation of Department of Energy Oversight Policy, 09/27/2007*), with special emphasis on emerging issues (an example is implementation of DOE STD 1186 2004, *Specific Administrative Controls*). Results of the independent assessments will be presented to the Field Offices and contractors. Corrective Action Plans (CAPs) will be developed, implemented as appropriate (in concert with governing Orders, policy, etc.). Corrective actions resulting from independent assessments performed by HS-60 or resulting from Type A accident investigations are entered into the HQ Corrective Action Tracking System (CATS) of the Corrective Action Management Program (CAMP) by the organization generating the CAP. The POC for the CAMP Team is a staff person within EM-62.

Less Frequent or Case-by-Case Interactions

- Criterion 3: Quality Improvement—Field Office Elements are required to submit their annual declarations on the implementation of ISM. These declarations are submitted to EM-60 for EM-HQ review and acceptance. EM-3, with assistance from EM-60 and the EM QA Manager, issues guidance to the Field for expectations of the submittals. ISM System Descriptions for EM-HQ and EM Field Offices are required by DOE Manual 450.4-1, (11/01/06). EM-1 approves the EM-HQ ISM System Description and the Field Office approves its ISM System Descriptions.
- Criterion 4: Documents and Records—Each Field Office is responsible to manage its own records and documents. The Office of Corporate Information & Services (EM-xx), utilizing the Electronic Suspense Tracking and Routing System (ESTARS), controls memos and correspondence going to and from the Field or providing direction.
- Criterion 5: Work Processes—Many work processes conducted at EM-HQ, such as those listed in Appendix B, involve interaction with the Field. The degree of interaction for any specific work process depends on the specific issue, activity, facility, or project being addressed.
- Criterion 6: Design—Detailed design responsibilities are assigned to Field Offices, which is covered under the QAPs for the Field Office and/or their contractors. EM-HQ offices occasionally review designs (typically functional design specifications) from Headquarters' budget, safety, and mission perspective, as part of the Energy Acquisition Advisory Board Approval process instituted December 28, 2006.

- Criterion 8: Inspection and Acceptance Testing—With one exception (see Section 6.8), inspection and acceptance testing responsibilities are assigned to Field Offices, which are covered under the QAPs for the Field Office and/or their contractors.
- Suspect/Counterfeit Items (S/CI): Direct contractor oversight regarding S/CI requirements is the responsibility of the Field Offices. Field Office QAPs are required to address this requirement. EM-HQ is notified via the Occurrence Reporting and Processing System (ORPS) when cases arise.

4.4 Deficiency Resolution

Judgments of Need that arise out of Type A accident investigations or findings from HS-60 assessments are recorded and tracked using the CAMP, managed by EM-62 staff. The purpose of the CAMP is to implement a systematic process for developing, tracking, reporting, and implementing corrective actions to resolve the identified findings; and determine the effectiveness of the corrective actions in successfully resolving the findings and preventing their recurrence. The CAMP was initiated in response to the DOE Implementation Plan for DNFSB Recommendation 98-1 “Resolution of Safety Issues Identified by DOE Internal Oversight”, which expressed concern on the effectiveness of DOE to address and resolve safety issues identified by independent oversight. The database for CAMP is CATS. All other findings for EM-HQ assessments are documented and tracked by the EM-HQ organization performing the review/assessment. This is described in SOPP PPC 7.2 (09/15/06). Reports generated are formalized and retained in each respective EM office’s files.

The EM-53 EM Lessons Learned Coordinator will interact with each organization to assist in developing lessons learned from the assessments, as appropriate, for the EM Complex. In addition, EM-60 will perform oversight of the Field ORPS corrective action process, and Non-Compliance Tracking System (NTS) corrective actions.

NUCLEAR SAFETY REQUIREMENTS

4.5 NQA-1 and 10 CFR 830 Implementation at Headquarters

EM-HQ has overall responsibility to manage nuclear and nuclear related activities at its Field Offices, and supports a graded approach in the implementation of NQA-1 and 10 CFR 830 requirements. For the most part EM-HQ has a “corporate” management role for all of EM work and in general EM-HQ does not directly manage or supervise Field projects and activities. Rather, the projects/activities are almost always conducted by contractors, reporting to DOE Field Offices, with their own QA program (NQA-1). *In the rare circumstance that EM-HQ would directly manage a nuclear safety-related project or have direct involvement in nuclear safety-related activities, the HQ Project Manager will be responsible for creating a project-specific QA plan and project QA procedures in accordance with the requirements of NQA-1 or 10 CFR 830.*

In order for a HQ Project Manager to lead/manage a nuclear safety indefinite delivery/indefinite quantity (IDIQ) contract or other nuclear safety related projects, that Project Manager would be required to have the following qualifications:

- Training to meet qualification standards for the specific work to be performed;
- Knowledge of recordkeeping requirements; and
- Training and management support to establish and implement processes to detect and prevent quality problems (see Section 4.7).

The process for applying a graded approach at EM-HQ is described in this section and in Appendix B. EM-HQ QA organization falls under the DAS for EM-60. EM-HQ has a QA Manager who is responsible for:

- Recommending for approval to the EM-60 DAS any EM-HQ individual NQA-1 or 10 CFR 830 Project QA Plans; and
- Conducting periodic audits of each individual EM-HQ NQA-1 and/or 10 CFR 830 project’s conduct of QA in comparison with what is stated in the project’s QA plan.

4.6 Nuclear Safety-Related Activities at EM-HQ (10 CFR 830 related)

Activities at EM-HQ that directly affect nuclear safety and licensing are conducted by the DAS for EM-60. The EM-60 DAS’s current delegated authorities are as follows and, except as noted, apply to activities at DOE Portsmouth and Paducah Project Office, DOE Carlsbad Field Office, and small sites under Office of Small Sites Projects (EM-3.3):

1. DOE O 425.1C:

4.a.(3).(a).: Startup authority for a new hazard category 3 nuclear facility.

4.a.(3).(c). and (d).: Startup authority for the restart of a hazard category 2 nuclear facility following extended shutdown or extensive modification.

4.a.(4).(b).: Approve Startup Notification Reports (SNRs) if you are the startup authority; otherwise, make recommendation regarding approval.

2. Title 10 CFR 830:

Subpart B 830.204 (a). For hazard category 2 and 3 nuclear facilities: Approve the methodology, with HSS concurrence, used to prepare the Documented Safety Analysis (DSA), including the criteria for classifying nuclear safety structures, systems, and components, and document the basis

for approval whenever the contractor does not use a methodology for Table 2 of Appendix A to Subpart B of 10 CFR 830.

Subpart B 830.202 (b)(3) and App A F.3. Approve final hazard categorization for hazard category 2 and 3 nuclear facilities.

Subpart B 830.203 (b) and (c). For hazard category 2 and 3 nuclear facilities approve Unreviewed Safety Question (USQ) procedures and processes of the contractor.

Subpart B 830.203 (e). Approve changes determined to involve a USQ prior to implementation, and approve continued operations when a USQ is determined to exist.

Subpart B 830.206 (b) (1) and (2). For hazard category 2 and 3 nuclear facilities, approve the preliminary DSAs, including nuclear safety criteria where required.

Subpart B 830.205 (a) (2). Approve Technical Safety Requirements (TSRs), and revisions thereto, and other hazard controls for hazard category 2 and 3 (and below) nuclear facilities.

3. *DOE M 411.1-1C, Table 6.: For hazard category 2 (and below) facilities, review and approve the authorization agreement.*

As an aside, EM-62 performs an oversight role in the Field development and approval of Startup Notification Reports (SNRs). This oversight is a QA check to ensure proper implementation of delegated authority for SNRs. Assessments are performed to validate the processes used.

4.7 NQA-1 Implementation at Headquarters

The EM-60 DAS is delegated the authority to approve or deny exemption requests from requirements in DOE O 460.1B *Packaging and Transportation Safety* as well as other Program Secretarial Office (PSO) authorities within the Order dealing with approval of certain packaging, etc. Appropriate training, management systems, and other QA procedures for this authority are to be maintained in accordance with NQA-1.

4.8 Project QA Plans, Procedures or Instructions

The activities listed above that affect nuclear safety require a separate project QA Plan (See Table 1 for Criteria for Project QA Plans). The plan may be organized to address either a scope of activities within the organization or a specific project. If the EM-HQ Project QA Plan is written to address NQA-1 requirements, management and independent assessments must also be addressed and performed for that project. Other EM-HQ activities that may need a Project QA Plan, QA Procedure or QA Instruction will be decided on a case-by-case basis. Criteria for this would include the necessity for more rigor or specificity than the EM-HQ QAPP requires. For example, an Environmental Impact Statement (EIS) under the National Environmental Policy Act (NEPA) requires implementation of QA requirements, and in some cases, a separate QA Plan may be required. These QA Plans would be done following the NEPA protocols and be consistent with the EM-HQ QAPP. The EM QA Manager will assist activity and project managers in determining if other EM-HQ activities/projects are in need of additional QA documentation (i.e., plan, procedure or instruction). QA procedures or instructions will address necessary QA requirements that would enhance the implementation of the activity/project, but do not need the rigor of a project QA Plan. Examples of activities that may use QA procedures or instructions include development of Individual Development Plans (IDPs), performance of management assessments, lessons learned dissemination processes, and records of change control. Procedures are formally controlled, and would follow the guidelines for the EM Standard Operating Policies Procedures (SOPP) template. Instructions

DOE EM-HQ Quality Assurance Program Plan

that are for one time use, are to be in the form of a memorandum, and are to clearly indicate the one time expectation.

Each Project QA plan should contain the following as a minimum:

- Description of the project or scope of activities;
- Identification of aspects that affect nuclear safety;
- Which of the ten criteria for 10 CRF 830.120 or 18 criteria from NQA-1 specifically apply to the project or activities;
- A description of how the selected requirements from 10 CFR 830.120 or NQA-1 are applied; Identification of other EM or DOE organizations, if any, that participate in QA activities (for example, EM-60 for auditing); and
- Any additional requirements contained in the DOE QA Order (DOE O 414.1C).

DOE EM-HQ Quality Assurance Program Plan

Table 1 - Criteria for Project QA Plans

NQA-1 Criteria	
1. Organization	10. Inspection
2. Quality Assurance Program	11. Test Control
3. Design Control	12. Control of Measuring and Test Equipment
4. Procurement Document Control	13. Handling, Storage, and Shipping
5. Instructions, Procedures, and Drawings	14. Inspection, Test, and Operating Status
6. Document Control	15. Control of Nonconforming Items
7. Control of Purchased Items and Services	16. Corrective Actions
8. Identification and Control of Items	17. Quality Assurance Records
9. Control of Special Processes	18. Audits
10 CFR 830.120 Criteria	
1. Management / Program	6. Performance /Design
2. Management / Personnel Training and Qualification	7. Performance / Procurement
3. Management / Quality Improvement	8. Performance / Inspection and Acceptance Testing
4. Management / Documents and Records	9. Assessment / Management Assessment
5. Performance / Work Processes	10. Assessment / Independent Assessment

5. SOFTWARE QUALITY ASSURANCE AT EM-HQ

5.1 EM-HQ Software Subject to NQA-1 or 10 CFR 830

Criteria for applicability of DOE O 414.1C *Quality Assurance*, and ultimately NQA-1 or 10 CFR 830, to safety software used by EM-HQ includes safety software directly or indirectly related to nuclear safety or nuclear operations. At this time there is no safety or safety related software used at EM-HQ for which use, development, or maintenance is subject to the requirements of DOE O 414.1C.

5.2 Implementation of Software Quality Assurance at EM-HQ

Potential application of safety related software QA requirements to EM-HQ software falls into three categories, which are:

- Providing Subject Matter Expert (SME) assistance to the Field – such activities are conducted in accordance with the relevant Field organization’s QA implementation for that software (including the qualifications of the SME). EM-60 is staffing up to meet this function.
- Utilizing software subject to the requirements of DOE O 414.1C for nuclear safety-related applications – If EM-HQ did utilize software subject to DOE O 414.1C, the users would need to develop written plans similar to that for a project QA plan. The scope of such plans would be limited to: a) Application of Verification and Validation (V&V) standard for procurement of the software; b) qualifications and training of users; c) maintaining a record of the V&V performed at HQ to assure its proper application; and d) specification of the circumstances to which the software may be applied. Note that QA decisions applied to the input and to the results of the use of such software in a program, project, or activity are separate from that of the software itself.
- Software development – If EM-HQ initiates development of safety related software for which formal QA is applicable, requirements of DOE O 414.1C will be specified to the developer. When the product is delivered, the developer provides a certification that the requirements have been met. When this certification is provided, QA at EM-HQ is the same as for users above.

The EM-HQ SQA representative will work with the EM-62 Assessment Coordinator to ensure necessary/upcoming SQA Field assessments are included on the EM-HQ Assessment Schedule. Most SQA assessments done in the Field are a result of the Field Office’s request. As part of the 2002-1 IP commitments, each EM Field Office has at least one qualified SQA representative.

6. MANAGEMENT AND ADMINISTRATIVE QUALITY ASSURANCE

As described in the overview, a significant part of EM activities are managerial and administrative, examples of which are program management, budget formulation, strategic planning, policy development, issuance of guidance, and others. With regard to EM management and administration, Table 2 indicates typical activities, responsibilities, and interactions as they relate to the ten criteria in DOE O 414.1C and associated ISM principles and core functions.

6.1 Criterion 1: Program

The EM-HQ QA implementation results from an integrated comprehensive program comprised of management systems established to assign responsibilities and authorities, define policies and requirements, and provide for the performance and assessment of work or operations. Compliance with and implementation of the management systems and processes identified in this document contribute to fulfilling the EM mission. These systems and processes provide for achievement of quality and enhancement of safe operations in a planned and systematic manner. EM-1 has overall responsibility and accountability for the EM QA Program. The implementation of the key management systems to accomplish the EM QA Program is carried out by various organizations within EM-HQ as described within this document. These organizations may develop additional written documents, contracts, policies, plans, procedures, and instructions to implement functions that are directly applicable to their scope of work.

6.2 Criterion 2: Personnel Training and Qualification

All EM personnel shall receive general QA training centered around the EM-HQ QAPP scope and applicability. This general QA training will be provide electronically “on-line” to all EM personnel and last approximately one hour in length. A refresher course will be required every three years. Additional specific QA training for certain positions, including EM managers, will also be provided. (see details later in this section) Personnel assigned to perform functions associated with EM-HQ management systems shall have education, experience, and/or training commensurate with the functions associated with the work. DOE mandated policies provide for the inclusion of qualification requirements in position descriptions, which provides a means for initial qualifications. Selection officials perform and document an evaluation of the candidate’s qualifications against the requirements. DOE M 426.1-1A, *The Federal Technical Capability Manual* (05/18/04) is used as the basis for determining the qualification requirements of specific safety and quality-related technical positions.

EM-HQ personnel assigned to perform the functions important to the EM mission and objectives receive training as appropriate. Training and qualification of the EM-HQ QA manager is performed in accordance with the DOE Technical Qualification Program (TQP). EM-1 is responsible for selecting the EM positions who are required to become Senior Technical Safety Manager/Advisor (STSM/A) qualified. The managers who have been placed in designated STSM/A positions are trained and qualified in accordance with the STSM functional area qualification standard (FAQS).

Each EM Manager (COO/DAS/OD) is responsible to determine if any TQP training is required for their staff and to ensure that the requirements are met. If TQP training is to be required of an employee already performing in the job that is deemed to require the additional technical training, the Manager must give that employee ample time (at least 18 months) to meet the qualifications , as well as time during work hours to complete the necessary preparatory work and training. These determinations shall be recorded in the employee’s Position Description (PD), in their respective Performance Elements, if needed, and in their IDPs, as appropriate. Other necessary or proposed training is also to be captured in the employee’s IDPs.

DOE EM-HQ Quality Assurance Program Plan

Additionally, on February 23, 2007, EM-2 issued a memorandum entitled “Corrective Actions for Technical Qualifications Program at Environmental Management Headquarters” to re-invigorate the TQP program. Eleven corrective action activities were identified and assigned to both EM-40 and EM-60 for implementation, with closeout expected by June 2008.

Training is provided to EM-HQ personnel to ensure that personnel maintain their proficiency for performing their assigned duties and responsibilities and to meet the qualification requirements of their functions and positions. The respective COO/DAS/ODs, in coordination with EM-42, are responsible for determining and documenting these qualifications and training requirements.

DOE EM-HQ Quality Assurance Program Plan

Table 2 – Quality Assurance at EM-HQ for other than NQA-1 or 10 CFR 830 Related Activities

DOE O 414.1 Criteria	Typical DOE/EM-HQ Activities	EM Lead Organization	Examples of Management Tools	ISMS Link ⁵	Interaction with Field Offices
1. Program	<ul style="list-style-type: none"> Develop and maintain the EM FRA Develop and maintain EM-HQ QAPP 	EM-61, EM-64	<ul style="list-style-type: none"> FRA Mission & Functions Statement 	<ul style="list-style-type: none"> Principles 1, 2, and 4 	Review & Approve Field Office QAPs
2. Personnel Training and Qualification	<ul style="list-style-type: none"> ISM & EM-HQ QAPP Training Position Qualifications Formal Training Program Informal Training 	<ul style="list-style-type: none"> EM-61, EM-64 EM-42 COO/DAS/ODs All 	<ul style="list-style-type: none"> SOPP: PS 5.15 SOPP: PS 5.2 SOPP: PS 5.3 FTCP SOPP: PPC 7.2 	<ul style="list-style-type: none"> Principle 3 	Oversight and Assessment
3. Quality Improvement	<ul style="list-style-type: none"> Conduct Assessments Lessons Learned & Feedback Improve Processes & Procedures 	<ul style="list-style-type: none"> EM-53/EM-60 EM-53 ALL 	<ul style="list-style-type: none"> ECP CAPs & CAMP SOPP: PPC 7.2 	<ul style="list-style-type: none"> Core Function 5 	Participate in Assessments
4. Documents & Records	<ul style="list-style-type: none"> Control records as required by regulation and policy, e.g. FRA, SOPP and NQA-1 project plans 	EM-30	<ul style="list-style-type: none"> SOPP: AS 6.12 DOCS EMCTS ESTARS 	<ul style="list-style-type: none"> Principles 1, 2, 3, 4, 5, 6, and 7. 	Independent Records Management
5. Work Processes	<ul style="list-style-type: none"> All except NQA-1 activities 	All	<ul style="list-style-type: none"> See Appendix A for a list of management tools. SOPP: PPC 7.2 	<ul style="list-style-type: none"> Principles 5 and 6. Core Function 4. 	Review and Approval; Oversight and Assessment
6. Design	<ul style="list-style-type: none"> Conduct assessments and oversight of Field activities 	<ul style="list-style-type: none"> EM-60, 61, 62, 64 EM-53 	<ul style="list-style-type: none"> Assessment Plans and Field QAPs SOPP: PPC 7.2 	<ul style="list-style-type: none"> Core Functions 1 & 5 Principles 4 & 7 	Oversight and Assessment

⁵ ISM Guiding Principles: 1) Line Management Responsibilities for Safety, 2) Clear Roles and Responsibilities, 3) Competence Commensurate with Responsibilities; 4) Balanced Priorities; 5) Identification of Safety Standards and Requirements; 6) Hazard Controls Tailored to Work Being Performed; 7) Operations Authorization

ISM Core Functions: 1) Define the Scope of Work; 2) Analyze Hazards; 3) Develop and Implement Hazard Controls; 4) Perform Work within Controls, 5) Provide Feedback and Continuous Improvement

DOE EM-HQ Quality Assurance Program Plan

DOE O 414.1 Criteria	Typical DOE/EM-HQ Activities	EM Lead Organization	Examples of Management Tools	ISMS Link⁵	Interaction with Field Offices
7. Procurement	<ul style="list-style-type: none"> Assure safety and quality requirements are incorporated in contracts Development/Review of contracts 	EM-51 (new contracts); EM-52 (current contracts) ; EM-60 (technical input)	<ul style="list-style-type: none"> EMHCA Directive 1.3 EM-50 Contract Requirements Management Guide SOPP: 40 	<ul style="list-style-type: none"> Principles 3, 5, and 7. Core Function 1. 	Major capital projects, site closure contracts, site management contracts
8. Inspections & Acceptance Testing	<ul style="list-style-type: none"> Conduct assessments and oversight of Field activities 	EM-60 EM-53	<ul style="list-style-type: none"> Assessment Plans and Field QAPs SOPP: PPC 7.2 	<ul style="list-style-type: none"> Principles 1 & 2 	Oversight and Assessment
9. Management Assessment	<ul style="list-style-type: none"> Conduct internal and Field assessments 	EM-60, 61, 62 EM-53	<ul style="list-style-type: none"> DOE G 414.1-1A SOPP: PPC 7.2 	<ul style="list-style-type: none"> Principles 1, 2, 3, and 4. Core Function 5. 	Participate in Assessments
10. Independent Assessment	Conducted by HS-60 on EM and Field	EM-60	<ul style="list-style-type: none"> DOE G 414.1-1A 	<ul style="list-style-type: none"> Principles 1, 2, 3, and 4. Core Function 5. 	Assist in preparations for HS-60 Audit

5 ISM Guiding Principles: 1) Line Management Responsibilities for Safety, 2) Clear Roles and Responsibilities, 3) Competence Commensurate with Responsibilities; 4) Balanced Priorities; 5) Identification of Safety Standards and Requirements; 6) Hazard Controls Tailored to Work Being Performed; 7) Operations Authorization

ISM Core Functions: 1) Define the Scope of Work; 2) Analyze Hazards; 3) Develop and Implement Hazard Controls; 4) Perform Work within Controls, 5) Provide Feedback and Continuous Improvement

Training Responsibilities

Each responsible COO/DAS/OD ensures that the training and qualification requirements for subordinate personnel are current and consistent with the requirements of applicable manuals, procedures, and guidance. Each COO/DAS/OD will ensure on an ongoing basis that employees have satisfied and continue to satisfy these requirements. Specific responsibilities include:

- EM-42 maintains training and qualification records of EM-HQ employees.
- EM-42 administers processes, training requirements, management of training programs, and training approval.
- In consultation with the FTCP Agent for EM who resides in EM-61, EM-42 updates the TQP position list to identify the Federal positions whose duties and responsibilities require them to meet the FAQs for safety software/STSMs. EM-42 is responsible for updating employee PDs with this requirement (*Note: On February 23, 2007, EM-2 issued a memorandum entitled “Corrective Actions for Technical Qualifications Program at Environmental Management Headquarters” to re-invigorate the TQP program. Eleven corrective action activities were identified and assigned to both EM-40 and EM-60 for implementation.*)
- Specific SME training/education remains the responsibility of the COO/DAS/OD to maintain.
- Documentation certifying completion of all training shall be provided by COO/DAS/OD to EM-42 for inclusion in employees’ official training records.

Specialized QA Training for EM Managers and Selected Technical Positions

Successful implementation of integrated QA and ISM in EM-HQ will require a clear understanding of this QA Program Plan. The estimated 2-hour training session will address:

- ISM
- Quality and safety improvement approaches, methods, and the feedback processes

All EM management positions (including ODs) are required to take this training. EM Senior Management (EM-1, Principal Deputy Assistant Secretary for Environmental Management (EM-2), EM-3, and DASs) will decide which additional positions are “selected technical positions” and ensure documentation related to the necessity of that training is in those persons’ PDs and IDPs. The QA Manager will provide criteria to EM management to assist in the selection of those additional positions requiring this training.

EM-60 had the responsibility to develop specialized EM-HQ QA training within one year after the EM-HQ QAPP was initially issued (November 23, 2005). The training was successfully developed and all EM HQ staff and management completed the training by December 2006.

Qualifications and training that are associated with safety-related activities and safety software described in Sections 4 and 5 are controlled in accordance with the QA plans that apply to the specific projects and activities.

General Training for Implementation of EM-HQ QAPP

The EM QA Manager has the responsibility for ensuring that a general employee training program for QA is developed, available and implemented. The training is to be updated and available as a refresher at least once every three years. The general employee training consists of an approximately one hour on-line session for each EM employee to be introduced to the EM-HQ QAPP and be educated in the contents of the DOE QA Order and the applicability of this plan to the employee.

6.3 Criterion 3: Quality Improvement

Continuous improvement of work products, processes, procedures, and personnel qualification is the cornerstone of EM-HQ management activities to accomplish the objectives of the EM mission. EM management encourages and empowers employees and contractors to identify quality related problems and report them to management so that they are assessed and corrected appropriately.

In general, quality-related problems may be identified by both internal and external sources during performance of oversight and assessments. EM employees and management identify quality-related problems through various mechanisms including management and independent assessments, employee concerns program, performance assessments, and others. Furthermore, EM management conducts weekly calls where participants are encouraged and expected to identify and report problems that affect quality; and with each Field site to address issues and projects. Lessons can be drawn and applied to prevent recurrence and, when applicable, used to improve processes, procedures, and personnel qualification. The QA Manager ensures that EM-HQ quality-related problems are recorded and tracked to ensure that the issues are addressed appropriately.

The EM Lessons Learned Coordinator ensures that any noteworthy operational/safety experience and lessons learned (both positive and negative) are made available to the personnel in HQ and in the Field. The following table highlights the EM Lessons Learned Coordinator’s activities for capturing and disseminating operational experience including lessons learned.


What	Lessons Learned in Safety, QA, Best Management Practice with complex-wide implications
Frequency	Immediate Safety Quality Impacts (Regularly [real-time]) Summary Reports, trends, best practices (monthly basis)
To whom	EM Management and to Field Managers/Contractors via appropriate channels
Mechanisms	Memoranda, E-mails, Conference Calls, Website (including SELLS and EM Lessons Learned Site), workshops, seminars, conference. Weekly Calls
Information Sources	Assessments/Reviews (Internal [i.e., EM-HQ, Field] and Independent [HS-60], and External [e.g., IG, DNFSB, EPA]); ORPS, NTS and CAIRS Data Trade Journals Conferences/Workshops Corrective Action Management Program (CAMP)/Corrective Action Tracking System (CATS)

The EM-53 Lessons Learned Coordinator interfaces with EM-11 for environmental lessons learned, EM-53 for project performance lessons learned, EM-60 for safety related and QA lessons learned and EM-11 for NEPA lessons learned.

At times, the lessons learned depicted in figure 3 that are collected by the EM-53 Lessons Learned Coordinator can present unique opportunities for significant procedural improvements in the Field. In this event, the EM Lessons Learned Coordinator will work with the appropriate EM personnel to evaluate the potential for procedural improvements. These personnel recommend improvements to EM-60 DAS who upon evaluation will forward the recommendation to EM-3. EM-3 will address the recommendation to the Field Office Manager who, along with the appropriate contractor, will evaluate it for both effectiveness and contractual impacts. The Field Office will report back to EM-3 any significant

improvement in safety or quality performance. The Lessons-Learned coordinator will document the results and provide them to the appropriate EM personnel. See Figure 3.

Figure 3. Procedure Improvement Process from Lessons Learned



The EM quality improvement process consists of:

- Identifying Quality Problems;
- Analyzing Causes;
- Developing CAPs, tracking actions, and using CAMP for tracking Type A/HS-60 findings;
- Taking immediate steps to prevent recurrence;
- Deriving lessons learned and providing feedback; and
- Tracking identified problems and corrective actions to ensure appropriate closure and effectiveness of corrective action.

All identified problems, results of the causal analysis, suggested steps to prevent recurrence, and status of CAPs as well as site QA issues uncovered by HQ personnel through HQ/Field or HQ/self-assessments, should be communicated to the EM-QA Manager and to the management of the affected organization (see Sections 7.9 and 7.10).

6.4 Criterion 4: Documents and Records

A large number of official records and documents created by most EM-HQ organizations are managed within the DOE Administrative Records Schedule administered by the Office of the Chief Information

Officer, which provides a customized listing of records contained in the National Archives and Records Administration General Records Schedule as customized to the needs of DOE and its contractors. This guidance is available at the following website: <http://cio.energy.gov/records-management.htm>. However, in the context of QA, a very small number of HQ documents have ongoing revisions once issued (in contrast with design, construction, operation and D&D of facilities). Typical revision controlled records by the responsible EM Project Manager include the EM FRA, SOPPs, and other administrative procedures.

Responsible EM project managers for NQA-1 and 10 CFR 830.120 projects control documents for safety-related activities described in Sections 4 and 5 in accordance with the QA plans for the specific projects and activities.

6.5 Criterion 5: Work Processes

EM-HQ work processes cover a broad range and types of activities. They can be categorized in the functional groups as:

1. Provide Field oversight and monitoring;
2. Review and approve/certify;
3. Conduct assessments;
4. Assist Field organizations in reviews and appraisals;
5. Provide program advocacy, technical assistance, and technical direction;
6. Provide policy and program direction;
7. Participate in DOE HQ response to Field emergencies and upset situations; and
8. Provide business support services (including human resource management, administrative activities, budget, procurement and public affairs).

Generally, the drivers for these EM-HQ functions are DOE Policies, Orders, Manuals, and Technical Standards. Occasionally, outside oversight groups such as the DNFSB will provide recommendations to DOE that are integrated into EM-HQ functions through Department generated implementation plans and other procedures. A variety of management tools that support these processes are listed in Appendix A.

In addition, there could be singular situations that arise requiring development and implementation of new work processes. For this reason, it is essential that flexibility be maintained for addressing such instances. As such, there is a potential for one-of-a-kind, first-of-a-kind or specialized work processes to be created and carried out.

Specialized Work Process Functions related to Environmental Management:

1. **Environmental Management Acquisition Advisory Board (EMAAB)**- (replaces Configuration Control Board (CCB): Per December 28, 2006, Memorandum from EM-1, "*Configuration Management and Change Control Process for the Environmental Management Program*" The configuration management and change control processes will be handled through the Environmental Management Acquisition Advisory Board (EMAAB). EMAAB has been established and serves to review critical decisions and baseline changes for all projects in which EM has Acquisition Executive (AE) Authority in accordance with DOE Order 413.3A., *Program and Project Management for the Acquisition of Capital Assets, dated 7/28/2006*.
2. **National Environmental Policy Act (NEPA)**: Compliance with the National Environmental Policy Act (NEPA) is required for all major Federal actions with the potential for significant effects on the quality of the environment. All EM activities with such potential, such as major construction or renovation, waste cleanup, decommissioning, and policy implementation, must

comply with NEPA and DOE Order 451.1B which details the Department's NEPA program and includes the NEPA responsibilities of each Secretarial Officer and NEPA Compliance Officer (NCO). EM-11 coordinates NEPA activities for EM including assistance in the preparation and review of documents, advice on NEPA, and support in processing NEPA actions.

3. **Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA):** At beginning of the fiscal year, EM-11 with assistance from EM-42 prepares a list of pending cleanup decisions utilizing information in IPABs and distributes to the Field for verification and necessary modifications.

Remedy Review Team Chair evaluates list of pending decisions and identifies candidates for review based on: 1) potential for national consistency/precedent setting concerns, e.g., establishing soil cleanup level for radionuclides; 2) costs anticipated to exceed \$30 million; 3) application of controversial approach, e.g., monitored natural attenuation; and 4) Use of an Applicable or Relevant and Appropriate Requirements (ARAR) waiver, e.g., technical impracticability. *(For the proposed actions that the Remedy Review Chair does not believe an internal remedy review is warranted, the Remedy Review Chair will prepare summary assessment of the basis for recommending approval by the Board of the proposed action.)*

Based on timing of expected decisions, and the type of site problems being addressed, Remedy Review Team Chair develops tentative review schedule with site personnel for each review candidate and begins to identify appropriate individuals to serve as reviewers. [NOTE: Review teams typically consist of three to four individuals with relevant expertise and experience - Review Team Chair, HQ personnel or Field project manager(s), and in limited situations, a national lab representative or private consultant].

Site project managers submit supporting information (e.g., Proposed Plan) as requested and make it available to the review team at least two full weeks in advance of the scheduled review meeting.

As part of the review (typically a two-hour conference call or meeting), the Field Project Manager and their support team will give a brief overview of the project, i.e., problem being addressed, remedial options considered, basis for preference, etc. Review team comments and recommendations are shared orally with site representatives during the meeting and subsequently provided in writing to the Regulatory Review Board with a cc: copy to the Assistant Secretary and the respective Site Manager.

4. **Waste Determinations:** EM-2, with support from EM-10 and EM-20, has the responsibility for supporting EM-1 in providing the Secretary of Energy with information, analyses and recommendations relating to waste determinations that certain wastes resulting from reprocessing of SNF is not high-level waste. Such determinations are made under the framework of the following: 1) National Defense Authorization Act for Fiscal Year 2005, Section 3116, 2) Sections I.2.F.18 and II.B of DOE Order 435.1, and 3) the NRC Final Policy Statement, Decommissioning Criteria for the West Valley Demonstration Project at the West Valley Site.
5. **Low Level Waste Disposal Facility Federal Review Group (LFRG):** Under the Atomic Energy Act, DOE Self Regulates the disposal of its Low Level Waste (LLW). The DOE Regulatory Disposal process is defined in DOE Order 435.1. As tasked by the Order, The Office of Environmental Management is the DOE Regulator for LLW. The LFRG was chartered in 1999 by EM to conduct the regulatory oversight process and maintain the administrative record of

the regulatory licensing, performance monitoring, maintenance and closure of LLW facilities. The LFRG Program Management Plan, approved by the Department's Field Management Council in October 2000, established the LFRG Roles and Responsibilities for both HQ and Field organizational team representatives and provides the framework and guidelines for the conduct of the LLW Regulatory Oversight Process. This oversight process can include, when applicable, regulatory integration with requirements of external regulatory agencies (ex. NRC, EPA).

6.6 Criterion 6: Design

With few exceptions (such as special nuclear safety-related investigations mandated by EM-1 and reviews resulting from Type A investigations), EM-HQ does not perform original design work. The type of activities at EM-HQ that may require design-related skills is limited to review and approval. Per December 28, 2006, Memorandum from EM-1, "*Configuration Management and Change Control Process for the Environmental Management Program*" configuration management and change control processes will be handled through the Environmental Management Acquisition Advisory Board (EMAAB). EMAAB has been established and serves to review critical decisions and baseline changes for all projects in which EM has Acquisition Executive (AE) Authority in accordance with DOE Order 413.1A. EM-HQ may review designs from Headquarters' budget, mission, and safety perspective. Detailed design responsibilities are assigned to Field Offices, which is covered under the QAPs for the Field Offices and/or their contractors.

On occasion, EM-HQ may employ resources to conduct independent design reviews of Field projects, facilities, or equipment. EM-HQ performs assessments concerning design of EM facilities or equipment per EM SOPP: PPC 7.2 (September 15, 2006).

6.7 Criterion 7: Procurement

EM-HQ procurement is typically conducted for special support services and major contracts. QA requirements are imposed on a contractor via the contract. It is the responsibility of the Headquarters or Field Manager for the issuing organization (with input from SMEs) to ensure proper QA and safety requirements are identified and provided to the Contracting Officer to be included in the Request for Proposal and ensuing contract. Key procurement activities include:

- Evaluating contract performance and DOE contract management and recommending necessary strategic redirections;
- Developing and maintaining procedures and ensuring that appropriate planning is factored in the source selection process;
- Developing procurement and acquisition strategies for the EM complex and unique sites or projects; and
- Identifying trends in contracting practices across the complex that are impacting EM effectiveness.

6.8 Criterion 8: Inspection and Acceptance Testing

With one exception, inspection and acceptance testing responsibilities are assigned to Field Offices, which are covered under the QAPs for the Field Office and/or their contractors. The exception is that EM-63 tests and evaluates industrial and DOT Specification waste packaging. QA for this activity is per EM-60's project-specific QA Plan as addressed in Section 4.

EM-HQ performs oversight assessments of Field inspection and testing processes and procedures as necessary in accordance with EM SOPP: PPC 7.2.

6.9 Criterion 9: Management Assessments

Headquarters Management Self-Assessments

EM performs management self-assessments as appropriate to determine policy, program, procedural and managerial effectiveness, to obtain internal and external feedback, and to make overall improvements in key management systems. The frequency and the need for self-assessment is determined by each EM Manager (OD and above). The EM QA Manager may recommend to the affected organization that a self-assessment be performed. As part of the specialized QA training, EM managers will be educated in the performance of self-assessments. Self assessments are required per DOE O 226.1A, (*Implementation of Department of Energy Oversight Policy, 07/31/2007*).

The EM 60 is responsible for ensuring that a self-assessment of the EM-HQ safety oversight function be performed biennially in accordance with the DNFSB 2004-1 DOE Implementation Plan dated June 2005. DOE P 226.1, *Department of Energy Oversight Policy*, and DOE O 226.1 also contain requirements for self assessments. A self assessment plan is prepared annually by EM-61.

EM-HQ management conducts self-assessments to measure the effectiveness of selected management systems and processes. These self-assessments provide a basis for improving management systems, clarifying functions, responsibilities and authorities, and establishing priorities for work process improvements.

Each COO/DAS/OD organization conducts self-assessments, as appropriate, of the key management systems, processes, and procedures. Management self-assessments cannot be delegated. These assessments are conducted with the direct participation of the responsible COO/DAS/OD, who may solicit training assistance or guidance from the EM QA Manager. Each COO/DAS/OD's organization will maintain records/reports of self-assessments in accordance with DOE Administrative Records Schedule 16. Copies of each completed EM management self-assessment report are to be provided to the EM QA Manager who will maintain the control file of all self-assessments for EM-HQ.

Self-assessment results are to be used as management feedback for internal lessons learned, and CAPs are developed to implement any necessary improvements to the management systems, processes, and procedures. These corrective actions can be incorporated in training to enhance staff understanding of missions and functions of their organization, knowledge of the work processes, and proper use of the procedures.

The review of reports generated from the EM Employee Concerns Program (managed by EM-42) can be a component of the management assessment.

Responsible EM project managers, for projects governed by NQA-1 described in Sections 4 and 5, must perform management self-assessments in accordance with the QA plans for the specific projects and activities.

EM Field Assessments

EM-HQ conducts safety and project oversight assessments of the Field Office Elements. These assessments are based on the requirements of DOE P 450.4, *Safety Management Policy* and DOE P 226.1, *Department of Energy Oversight Policy*, and DOE O 226.1, with special emphasis on emerging issues as needed. These are performed in accordance with SOPP: PPC 7.2 (09/15/06), see Section 4.3.

In addition, EM-HQ may participate in Field Office assessments of contractors, and occasionally, as requested, self-assessments of the FEM.

6.10 Criterion 10: Independent Assessments

Independent assessments are an important activity that EM-HQ supports to ensure successful mission performance. Results of the independent assessments are critical components for EM's continuous quality improvement efforts. To ensure independence, EM-HQ uses the support of HS-60 to conduct independent assessments of EM-HQ activities. These assessments are conducted in accordance with DOE O 470.2B, *Independent Oversight and Performance Assurance Program*.

It is expected that HS-60 provides the qualified individuals to lead and conduct the assessments. Independent SME and technically qualified individuals may be provided by EM-HQ from sources that are not connected to the organization being assessed. The EM QA Manager and Assessment Coordinator should work closely with HS-60 on the detailed plans of the assessment to ensure that the appropriate team is configured and the objectives of the assessment are accomplished within the defined scope.

Assessment results are documented and reported by the assessment team to the responsible management for review. Follow-up actions including corrective actions are developed by the assessed organization. All CAPs resulting from the independent assessments are approved and issued by EM-1. Upon approval, corrective actions are entered into CAMP (i.e., CATS) by the organization responsible for implementing the action.

Projects governed by NQA-1, described in Sections 4 and 5, are subject to independent assessments.

EM-HQ can arrange to perform an independent assessment at a field office as long as the assessment team is composed of individuals who pose no conflict of interest on the area/project/or work being assessed.

APPENDIX A – EM MANAGEMENT TOOLS

The key management tools used by EM-HQ are listed in Table 3. “Management Tools” denotes structured programs, systems, recurring activities, and methods (e.g., databases, reporting protocols, etc.) that EM-HQ management uses to assure performance and quality of services. These tools support efficient and effective management of EM’s programs and systems and meeting the intent and requirements of the Government Performance and Results Act (GPRA).

Table 3 – EM-HQ Management Tools

Name	Description/Reference	Primary Responsible Organization for EM
Environmental Management Acquisition Advisory Board (EMAAB)- replaces Configuration Control Board (CCB)	Per December 28, 2006, Memorandum from EM-1, “ <i>Configuration Management and Change Control Process for the Environmental Management Program</i> ” configuration management and change control processes will be handled through the Environmental Management Acquisition Advisory Board (EMAAB). EMAAB has been established and serves to review critical decisions and baseline changes for all projects in which EM has Acquisition Executive (AE) Authority in accordance with DOE Order 413.3A.	EM-50
Contract Management Advisory Council (CMAC)	CMAC has been established within EM to support contracting issues and to serve as an interactive channel to address contracting services in support of the EM program. The council addresses: (1) contracting strategies for HQ and Field management contracts; (2) recommendations on extend/compete decisions for Field management and EM-HQ contracts; (3) review of performance-based incentives; (4) review of contractor fee earnings; and (5) special studies as directed by EM-1 or determined to be necessary by the CMAC.	EM-32
Closure Planning Guidance	The purpose of this document is to turn initiatives from the Top to Bottom Review into formal processes that can predictably deliver results and safely complete cleanup of the EM Program by 2035. See DOE, <i>EM Closure Planning Guidance</i> , June 1, 2004.	EM-53
Communications Portal	This Portal provides a one-stop location for EM employees to access information supporting the program's goal of accelerated risk reduction and cleanup completion. The Portal is also an online resource for EM business operations and employee/HR information. The information on the Portal currently includes a set of community pages and is sorted by some of the following categories: <i>Programmatic, Human Capital, Administrative, EM in the News, Phone Directory and Systems/Databases.</i>	Office of Corporate Information & Services (EM-42)
Computerized Accidents and Incidents Reporting System (CAIRS)	CAIRS is used to collect and analyze DOE and DOE contractor reports of injuries, illnesses, and other accidents that occur during DOE operations. More information can be found at http://www.hss.energy.gov/csa/analysis/cairs/ .	EM-61

DOE EM-HQ Quality Assurance Program Plan

Name	Description/Reference	Primary Responsible Organization for EM
Corrective Action Management Program (CAMP)	CAMP implements a systematic process for developing, tracking, reporting and implementing corrective actions to resolve the identified findings; and determines the effectiveness of the corrective actions in successfully resolving the findings and preventing their recurrence. These actions successfully complete the generalized process for the Feedback and Continuous Improvement core safety function within the Integrated Safety Management System. For more information on CAMP see http://www.hss.energy.gov/csa/csp/camp/	EM-62
Electronic Suspense Tracking and Routing System (ESTARS)	ESTARS offers an online solution to track commitments real-time through a single desktop tool. ESTARS is a web-based application that captures the complete lifecycle of a task – cradle to grave. It will capture all coordination and correspondence as a matter of permanent record.	EM-42
EM Safety Management Functions, Responsibilities, and Authorities Document (EM FRA)	EM FRA contains ES&H functions, responsibilities, and authorities necessary for achieving the integrated safety management of EM activities. It is a central component of EM’s response to the DOE’s commitment to promulgate requirements and associated instructions that provide direction, guidance, and define responsibilities for the safety management process. The EM FRA defines the safety management functions and responsibilities predicated on the requirements in DOE directives and the DOE FRAM that are applicable to EM.	EM-61
EM Weekly Calls	These calls are led by EM-3 and involve EM Field Managers, other PSO sites with EM work, and HQ staff. The calls are to encourage dialogue and communication of accomplishments, needs, issues and lessons learned.	EM-60
Federal Technical Capability Panel	The Federal Technical Capability Program provides for recruitment, deployment, development, and retention of Federal personnel with the demonstrated technical capability to safely accomplish the Department’s missions and responsibilities. The program consists of four elements, of which one is a Federal Technical Capability Panel consisting of Senior Technical Safety Managers to oversee the implementation of the program. Reference: DOE P 426.1, <i>Federal Technical Capability Policy for Defense Nuclear Facilities</i> or http://www.hss.energy.gov/deprep/ftcp/ .	EM-1/FTCP Agent designee
Integrated Planning, Accountability, and Budgeting System (IPABS)	IPABS is a project-based management system that supports the EM Program. IPABS consists of two major components: 1) The IPABS Handbook describes the top-level EM business processes and associated responsibilities necessary to fulfill the EM vision; and 2) The IPABS-Information System (IPABS-IS), along with the EM Corporate Database, provides the information and reports that support the IPABS Handbook and other EM information requirements. Additional information on the IPABS can be found at EM IPABS Community on the EM Portal	EM-32

DOE EM-HQ Quality Assurance Program Plan

Name	Description/Reference	Primary Responsible Organization for EM
Non Compliance Tracking System (NTS)	NTS is a database for DOE contractors to report unsafe actions or conditions that possibly violate nuclear safety requirements for protecting workers and the public. The contractor line management tracks to closure the corrective actions in each report to prevent recurrence. The corrective actions are approved by both DOE Field office personnel and investigators in the Office of Price-Anderson Enforcement. For more information on NTS see http://www.hss.energy.gov/Enforce/nts.html	EM-61
Occurrence Reporting and Processing System (ORPS)	ORPS provides timely notification to the DOE complex of events that could adversely affect the public or DOE worker health and safety, the environment, national security, DOE's safeguards and security interests, functioning of DOE facilities, or the Department's reputation. For more information see http://www.hss.energy.gov/CSA/analysis/orps/orps.html	EM-61
Project Analysis and Reporting System (PARS)	PARS delivers project status and assessment information to DOE senior managers and key program stakeholders. PARS is part of DOE's project reform initiative that was launched in June 1999. A key requirement for this initiative is a directive that the Office of Management, Budget and Evaluation (OMBE) establish a project management tracking and control system. PARS is specifically designed to fulfill this requirement. Reference, DOE, Office of Management, Budget and Evaluation (OMBE) and OECM <i>Project Assessment and Reporting System (PARS) User Manual, Version 3.03, September 2004</i> . For more information see http://www.oecm.energy.gov/Default.aspx?tabid=257	EM-53
Project Baseline Summary (PBS)	PBS is a management tool that summarizes information about each project. PBS is used for planning, budgeting, executing, and evaluating. Baseline information in PBS is consistent with the project baseline at the point of time when PBS is developed. Reference: DOE, EM, <i>Integrated Planning, Accountability, and Budgeting System Handbook</i> , February 16, 1999.	Budget – EM-31 Contracts – EM-52 Project – EM-53, EM-2
EM Standing Operating Policies and Procedures (SOPP)	<ul style="list-style-type: none"> • SOPP: PS 5.15 - Process for Delegation of Safety Authorities Sept. 2006 • SOPP: PS 5.2 - Technical Qualification Program (July 27, 2007) • SOPP: PS 5.3 - Senior Technical Safety Manager/Advisor Program (4/24/02) • SOPP: PPC 7.2 - Environmental Management Headquarters Safety Oversight Process (09/15/06) • SOPP: AS 6.12 - Controlled Correspondence (5/10/02) • SOPP: ACQ 2.3 - Performance Based Contracting (4/24/02) • SOPP: ACQ 2.5 - Contract Planning, Management and Administration (6/26/02) • SOPP: ACQ 2.7 - Procurement Integrity (3/6/02) • SOPP: ACQ 2.10 - Contractor Performance Evaluations (3/19/02) • SOPP: ACQ 2.9 - Transfer of Contracts and Financial Assistance Instruments (1/15/02) • SOPP: 40 – EM Deputy Assistant Secretaries Review of Field Originated Draft Requests for Proposals, Requests for Proposals, Draft Request for Task Proposals, and Invitations for Bids. 	EM-42

DOE EM-HQ Quality Assurance Program Plan

Name	Description/Reference	Primary Responsible Organization for EM
Technical Expertise Matrix	This is a matrix of EM employees who have self-identified expertise in certain functional areas. The Matrix is used to assist in requests from sites for assistance and to staff HQ review/assessment activities.	EM-3.2 EM-61 EM-62
Weekly Reports/ 30-60-90 Day Reports	These are reports of significant HQ and Field activities. Input is received from HQ and Field staff.	EM-3/EM-2 w/support from EM-62
Safety Information Management System (SIMS)	SIMS is a DNFSB-issues tracking system maintained by the Office of the Departmental Representative to the DNFSB (HS 1.1).	EM-60
Safety Basis Information System (SBIS)	This system lists the status of safety basis for all DOE hazard category I, II, and III nuclear facilities and their location. It is maintained by HSS.	EM-60

APPENDIX B – GRADED APPROACH

B.1 Graded Approach Requirement

DOE O 414.1C Section 4.a. (1) states:

Each DOE organization must develop and implement a QAP that addresses QA criteria as defined in paragraph 4b using a graded approach and describing how the criteria and graded approach are applied.

B.2 Factors in Applying the Graded Approach

Citing DOE G 414.1-2a, Section 4.1.3, the grading process should be used to evaluate hazards or risks and to determine the appropriate controls to address those hazards or risks. This process is accomplished by deliberate quality planning and is based on facility-specific or activity-specific factors, such as:

- The relative importance to safety, safeguards, and security;
- The magnitude of any hazard or risk involved;
- The life-cycle stage of a facility;
- Impact/consequences on programmatic mission of a facility;
- The particular characteristics of a facility or activity;
- The nuclear safety classification, hazard category or performance classification of the item or activity;
- Adequacy of existing safety documentation;
- Complexity of products or services involved; and
- History of problems at a site or facility.

B.3 Applying the Graded Approach at EM-HQ

Much of EM-HQ work does not directly affect nuclear safety. In the unlikely circumstances that EM-HQ takes primary and direct responsibility for management, operation, storage, transport, or disposal of nuclear materials for its programs, projects, or facilities, the graded approach will require rigorous application of NQA-1.

The method by which EM-HQ decides on applying NQA-1 is based on guidance in DOE G 414.1-2a. That is, the grading process for a specific Field project undertaken by EM-HQ will use four steps, which are to:

1. Verify whether the consequences and probability of a failure warrant application of NQA-1 to the project. The criteria for this determination are:
 - If a formal safety analysis is required for the facility or project based on the requirements 10 CFR 830 part B; or
 - If EM-HQ activities can affect the probability, consequences, and mitigating controls of/for accidents (effectively a USQ Screening type of determination).
2. Identify the specific QA requirements to be applied.
3. Determine the depth, extent, and degree of rigor necessary in the application of QA requirements.
4. Communicate and implement the selected requirements and degree of rigor by means of documented procedures and controls.

The logic, method of implementation, and basis for grading will then be documented in a project-specific QA plan. Creating the QA plan for a nuclear safety-related project is based on the type of project and its characteristics (such as whether the project involves fabrication, procurement, software, etc.).

DOE EM-HQ Quality Assurance Program Plan

If EM-HQ decides to directly manage a nuclear safety-related project, and an organization and procedures have *not* been established for this purpose, the basic steps to establish a project-specific QA plan include:

- Select which of the 18 NQA-1 criteria apply to the project;
- For each of the criteria that apply, decide how it will be implemented for the project;
- Based on criteria application, create, review, and approve project-specific QA procedures;
and
- Assign a QA SME as a project QA representative.

For an extended project, the grading should be periodically reviewed in light of changes that may have occurred, and if appropriate, the plan revised to accommodate those changes.